

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent of:

MULKENS *et al.*

Patent. No.: 7,508,486 B2

Issued: March 24, 2009

For: **Lithographic Apparatus, Device
Manufacturing Method, and Device
Manufactured Thereby**

Confirmation No.: 9148

Art Unit: 2851

Examiner: Peter B. Kim

Atty. Docket: 1857.5270004

**Request for Certificate of Correction
Under 37 C.F.R. § 1.322**

Attn: Certificate of Correction Branch

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

It is hereby requested that a Certificate of Correction under 37 C.F.R. § 1.322 be issued for the above-captioned United States Patent. This Certificate of Correction is being requested due to mistakes which appear in the printed patent. These mistakes were made by the U.S. Patent and Trademark Office.

Specifically, the printed patent contains the following errors for which a Certificate of Correction is respectfully requested:

Title Page, Item (75), Inventors section please add --Eric Catey, Danbury, CT (US)--. This appears to be a typographical error on the part of the PTO, as the Oath and Declaration submitted by the Applicants on May 4, 2004, records the same.

Column 20, line 41 "35. apparatus according" should be --35. An apparatus according--. This appears to be a typographical error on the part of the PTO, as the

Amendment and Reply submitted by the Applicants on October 27, 2008, records "35.
An apparatus according".

Remarks

The above-noted corrections do not involve such changes in the patent as would constitute new matter or would require reexamination.

A completed Form PTO/SB/44 accompanies this request, with the above-noted corrections printed thereon. Accordingly, a Certificate of Correction is believed proper and issuance thereof is respectfully requested.

The Commissioner is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 19-0036.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.



Glenn J. Perry
Attorney for Patentees
Registration No. 28,458

Date: 15 Oct 2009

1100 New York Avenue, N.W.
Washington, D.C. 20005-3934
(202) 371-2600
1040832_1.DOC

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,508,486 B2
APPLICATION NO.: 10/719,065
ISSUE DATE : March 24, 2009
INVENTOR(S) : Johannes C.H. MULKENS

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, Item (75), Inventors section please add --Eric Catey, Danbury, CT (US)--.

Column 20, line 41 "35. apparatus according" should be --35. An apparatus according--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Sterne, Kessler, Goldstein & Fox P.L.L.C.
1100 New York Avenue, N.W.
Washington, DC 20005-3934

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.